



ACB PC 03

CERTIFICATE OF CONFORMITY FOR READY MIX-CONCRETE

Certificate No : IKRAM 00124RT

Certificate Holder

**BLACKFOX ENGINEERING SDN. BHD.,
Lot 2040, Tkt. 1 Suite B, Bangunan SBJ, Pasir Pekan,
16250 Wakaf Bharu, Kelantan Darul Naim, Malaysia.**

Producer

**BLACKFOX ENGINEERING SDN. BHD.,
Lot 100121, Pulau Redang,
Kuala Nerus, Terengganu Darul Iman, Malaysia.**

Plant Identity

BFE-011-D-01

Type of Batching Plant

Type 1 - Wet Batching Plant (W)

Standards

CIS 21 : 2018 & MS EN 206 : 2016

Ready-Mixed Concrete Producer's Code

C40/50JKR (S3)

Product descriptions shall refer to ANNEX

Date of original issue
29.01.2024

Date of renewal
NIL

Date of amendment
NIL

Expiry Date
31.01.2025



MOHAMAD AKHIR BIN ABDULLAH
Director

DATO' TS. HAJI MOHD TAUFIK BIN HARON
Chairman

This certificate remains the property of IKRAM QA SERVICES SDN.BHD. and shall be returned on request.
IKRAM QA Services Sdn. Bhd. (199901004665)

Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten, 43000 Kajang, Selangor Darul Ehsan, Malaysia.
Tel: +603 8738 3212 Fax: +603 8736 7254 Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



ACB PC 03

IKRAM QA Services Sdn. Bhd. (199901004665)
Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten,
43000 Kajang, Selangor Darul Ehsan, Malaysia.
Tel: +603 8738 3212 Fax: +603 8736 7254
Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



ANNEX - Page 1

Certificate No : IKRAM 00124RT

Certificate Holder : BLACKFOX ENGINEERING SDN. BHD.,

Date of original issue
29.01.2024

Date of renewal
NIL

Date of amendment
NIL

Expiry Date
31.01.2025

Ready-Mixed Concrete Producer's Code : C40/50JKR (S3)

No.	Particular	Details
1	Strength Class	C40/50
2	Consistence Class (mm)	100 - 150 (Slump target value)
3	Minimum cement content	450kg
4	Maximum aggregate size / Dmax	20 mm
5	Source of aggregate	Crushed stone
6	Type of cement use	CEM I 52.5 N / BULK
7	Sources of water for concreting	SATU & Spring Water



ACB PC 03

IKRAM QA Services Sdn. Bhd. (199901004665)
Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten,
43000 Kajang, Selangor Darul Ehsan, Malaysia.
Tel: +603 8738 3212 Fax: +603 8736 7254
Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



ANNEX - Page 2

Certificate No : IKRAM 00124RT

Certificate Holder : BLACKFOX ENGINEERING SDN. BHD.,

Date of original issue
29.01.2024

Date of renewal
NIL

Date of amendment
NIL

Expiry Date
31.01.2025

Certificate Descriptions :

1. IKRAM QA Services Sdn. Bhd. is accredited by Department of Standards Malaysia (Standards Malaysia) according to ISO/IEC 17065 : 2012 for certification of products with certificate number ACB PC 03.
2. This certificate has been approved and issued in compliance with **IKRAM QA Scheme 4**.
3. IKRAM QA Scheme 4 is product certification scheme for ready-mixed concrete owned by IKRAM QA which using certification scheme Type 5.
4. It is hereby certified that the ready-mixed concrete as detailed in this detailed in this certificate has satisfactorily complied with CIDB'S Construction Industry Standard CIS 21 and Malaysian Standard MS EN 206.
5. Certification mark for IKRAM QA Scheme 4 is **Truck-Mark**.

Certificate Information :

Product Code : N1001