



ACB PC 03

CERTIFICATE OF CONFORMITY FOR READY MIX-CONCRETE

Certificate No : IKRAM 00120RN

Certificate Holder

**SPC INDUSTRIES SDN. BHD.,
PN 45839, Lot 2, Kawasan Perindustrian Pekan Sg. Gadut,
71450 Seremban, Negeri Sembilan Darul Khusus, Malaysia.**

Producer

**SPC INDUSTRIES SDN. BHD.,
PN 45839, Lot 2, Kawasan Perindustrian Pekan Sg. Gadut,
71450 Seremban, Negeri Sembilan Darul Khusus, Malaysia.**

Plant Identity

SPC-05-W-2

Type of Batching Plant

Type 1 - Wet batching plant (W)

Standards

CIS 21 : 2018 & MS EN 206 : 2016

Ready-Mixed Concrete Producer's Code

G60/SFRC, G40/IBS

Details of designed concrete particular shall refer to ANNEX

Date of original issue
08.01.2020

Date of renewal
19.01.2023

Date of amendment
18.09.2020

Expiry Date
31.01.2026




MOHAMAD AKHIR BIN ABDULLAH
Director


DATO' TS. HAJI MOHD TAUFIK BIN HARON
Chairman

This certificate remains the property of IKRAM QA SERVICES SDN.BHD. and shall be returned on request.
IKRAM QA Services Sdn. Bhd. (199901004665)
Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten, 43000 Kajang, Selangor Darul Ehsan, Malaysia.
Tel: +603 8738 3212 Fax: +603 8736 7254 Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



IKRAM QA Services Sdn. Bhd. (199901004665)
 Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten,
 43000 Kajang, Selangor Darul Ehsan, Malaysia.
 Tel: +603 8738 3212 Fax: +603 8736 7254
 Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my

ACB PC 03



ANNEX - Page 1

Certificate No : IKRAM 00120RN

Certificate Holder : SPC INDUSTRIES SDN. BHD.,

Date of original issue
08.01.2020

Date of renewal
19.01.2023

Date of amendment
18.09.2020

Expiry Date
31.01.2026

Ready-Mixed Concrete Producer's Code : G60/SFRC

No.	Particular	Details
1	Strength Class	C50/60
2	Consistence Class (mm)	230-290 (Slump target value)
3	Minimum cement content	390 kg
4	Maximum aggregate size / Dmax	20 mm
5	Source of aggregate	Crushed stone
6	Type of cement use	CEM II/B-V, 42.5N
7	Sources of water for concreting	Syarikat Air Negeri Sembilan (SAINS)

Ready-Mixed Concrete Producer's Code : G40/IBS

No.	Particular	Details
1	Strength Class	C35/45
2	Consistence Class (mm)	70-130 (Slump target value)
3	Minimum cement content	360 kg
4	Maximum aggregate size / Dmax	20 mm
5	Source of aggregate	Crushed stone
6	Type of cement use	CEM II/B-V, 42.5N
7	Sources of water for concreting	Syarikat Air Negeri Sembilan (SAINS)



ACB PC 03

IKRAM QA Services Sdn. Bhd. (199901004665)
Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten,
43000 Kajang, Selangor Darul Ehsan, Malaysia.
Tel: +603 8738 3212 Fax: +603 8736 7254
Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



ANNEX - Page 2

Certificate No : IKRAM 00120RN

Certificate Holder : SPC INDUSTRIES SDN. BHD.,

Date of original issue
08.01.2020

Date of renewal
19.01.2023

Date of amendment
18.09.2020

Expiry Date
31.01.2026

Certificate Descriptions :

1. IKRAM QA Services Sdn. Bhd. is accredited by Department of Standards Malaysia (Standards Malaysia) according to ISO/IEC 17065 : 2012 for certification of products with certificate number ACB PC 03.
2. This certificate has been approved and issued in compliance with **IKRAM QA Scheme 4**.
3. IKRAM QA Scheme 4 is product certification scheme for ready-mixed concrete owned by IKRAM QA which using certification scheme Type 5.
4. It is hereby certified that the ready-mixed concrete as detailed in this detailed in this certificate has satisfactorily complied with CIDB'S Construction Industry Standard CIS 21 and Malaysian Standard MS EN 206.
5. Certification mark for IKRAM QA Scheme 4 is **Truck-Mark**.

Certificate Information :

Product Code : N1001

1. P1 – KPS 02/20 (18.09.2020) – Additional grade