



K-MARK



ACB PC 03

## PRODUCT CERTIFICATE OF CONFORMITY

**Certificate No : IKRAM 12617FC**

Certificate Holder

**MA ALLIANCE SDN. BHD.,  
B-06-11, Kompleks Perindustrian Emhub Persiaran Persiaran Surian, Seksyen 3,  
Taman Sains Selangor, Kota Damansara, 47810 Petaling Jaya, Selangor Darul Ehsan, Malaysia.**

Product Name

**Sanitary Tapware**

Standard

**SPAN TS 3004 : 2021**

Product Description

**Product descriptions shall refer to ANNEX**

Brands

**artone KROHM**

Manufacturer

**KAIPING CITY YISHA SANITARY WARE CO. LTD.,  
38-1 Block 1, 1st Floor, Shuikou Town, Kaiping City,  
Guangdong Province, People's Republic of China.**

Date of original issue

**22.11.2017**

Date of renewal

**29.12.2023**

Date of amendment

**29.12.2023**

Expiry Date

**31.12.2024**



MOHAMAD AKHIR BIN ABDULLAH  
Director

DATO' TS. HAJI MOHD TAUFIK BIN HARON  
Chairman

This certificate remains the property of IKRAM QA SERVICES SDN.BHD. and shall be returned on request.  
IKRAM QA Services Sdn. Bhd. (199901004665)

Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten, 43000 Kajang, Selangor Darul Ehsan, Malaysia.  
Tel: +603 8738 3212 Fax: +603 8736 7254 Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



IKRAM QA Services Sdn. Bhd. (199901004665)  
 Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten,  
 43000 Kajang, Selangor Darul Ehsan, Malaysia.  
 Tel: +603 8738 3212 Fax: +603 8736 7254  
 Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my

ACB PC 03



## ANNEX - Page 1

Certificate No : IKRAM 12617FC

Certificate Holder : MA ALLIANCE SDN. BHD.,

*Date of original issue*  
22.11.2017

*Date of renewal*  
29.12.2023

*Date of amendment*  
29.12.2023

*Expiry Date*  
31.12.2024

### Model No.:

ATP 5818 U-VON-4LM-R-EF, ATP 5818 U-VIA-4LM-R-EF, ATP 5818 U-SAT-4LM-R-EF,  
 ATP 5818 U-VTR-4LM-R-EF, ATP 5818 U-TX-4LM-R-EF, ATP 5818 U-ST-4LM-R-EF,  
 ATP 5818 U-VX-4LM-R-EF, ATP 5818 U-AL-4LM-R-EF, ATP 5818 U-OS-4LM-R-EF,  
 ATP 5818 U-STE-4LM-R-EF, ATP 5818 U-STF-4LM-R-EF, ATP 5818 U-DVN-4LM-R-EF,  
 ATP 5818 U-PCL-4LM-R-EF, ATP 5818 U-ADR-4LM-R-EF, ATP 5818 U-RSL-4LM-R-EF,  
 ATP 5818 U-SER-4LM-R-EF, ATP 5818 U-SON-4LM-R-EF, ATP 5818 U-SOP-4LM-R-EF,  
 ATP 5818 U-DOC-4LM-R-EF, ATP 5818 U-STU-4LM-R-EF,

KR 5818 U-VON-4LM-R-EF, KR 5818 U-VIA-4LM-R-EF, KR 5818 U-SAT-4LM-R-EF,  
 KR 5818 U-VTR-4LM-R-EF, KR 5818 U-TX-4LM-R-EF, KR 5818 U-ST-4LM-R-EF,  
 KR 5818 U-VX-4LM-R-EF, KR 5818 U-AL-4LM-R-EF, KR 5818 U-OS-4LM-R-EF,  
 KR 5818 U-STE-4LM-R-EF, KR 5818 U-STF-4LM-R-EF, KR 5818 U-DVN-4LM-R-EF,  
 KR 5818 U-PCL-4LM-R-EF, KR 5818 U-ADR-4LM-R-EF, KR 5818 U-RSL-4LM-R-EF,  
 KR 5818 U-SER-4LM-R-EF, KR 5818 U-SON-4LM-R-EF, KR 5818 U-SOP-4LM-R-EF,  
 KR 5818 U-DOC-4LM-R-EF, KR 5818 U-STU-4LM-R-EF

|                                                                  |                                     |
|------------------------------------------------------------------|-------------------------------------|
| Type of Tap                                                      | : Bib tap                           |
| Intended use                                                     | : Kitchen tap                       |
| Nominal size                                                     | : ½" (DN15)                         |
| Mounting method                                                  | : Vertical Surfaces                 |
| Body                                                             | : Single hole with visible body     |
| Diverter                                                         | : Without diverter                  |
| Type of outlet                                                   | : Moveable with flow rate regulator |
| Water saving properties                                          | : Yes                               |
| Water efficiency rating                                          | : 3★                                |
| Body materials                                                   | : Brass                             |
| Operating Mechanism Type/ Model No. : Ceramic cartridge / HB-008 |                                     |



IKRAM QA Services Sdn. Bhd. (199901004665)  
 Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten,  
 43000 Kajang, Selangor Darul Ehsan, Malaysia.  
 Tel: +603 8738 3212 Fax: +603 8736 7254  
 Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my

ACB PC 03



## ANNEX - Page 2

Certificate No : IKRAM 12617FC

Certificate Holder : MA ALLIANCE SDN. BHD.,

*Date of original issue*  
22.11.2017

*Date of renewal*  
29.12.2023

*Date of amendment*  
29.12.2023

*Expiry Date*  
31.12.2024

### Model No.:

ATP 893U-VON-4LM-R-EF, ATP 893U-VIA-4LM-R-EF, ATP 893U-SAT-4LM-R-EF,  
 ATP 893U-VTR-4LM-R-EF, ATP 893U-TX-4LM-R-EF, ATP 893U-ST-4LM-R-EF,  
 ATP 893U-VX-4LM-R-EF, ATP 893U-AL-4LM-R-EF, ATP 893U-OS-4LM-R-EF,  
 ATP 893U-STE-4LM-R-EF, ATP 893U-STF-4LM-R-EF, ATP 893U-DVN-4LM-R-EF,  
 ATP 893U-PCL-4LM-R-EF, ATP 893U-ADR-4LM-R-EF, ATP 893U-RSL-4LM-R-EF,  
 ATP 893U-SER-4LM-R-EF, ATP 893U-SON-4LM-R-EF, ATP 893U-SOP-4LM-R-EF,  
 ATP 893U-DOC-4LM-R-EF, ATP 893U-STU-4LM-R-EF,

KR 893U-VON-4LM-R-EF, KR 893U-VIA-4LM-R-EF, KR 893U-SAT-4LM-R-EF,  
 KR 893U-VTR-4LM-R-EF, KR 893U-TX-4LM-R-EF, KR 893U-ST-4LM-R-EF,  
 KR 893U-VX-4LM-R-EF, KR 893U-AL-4LM-R-EF, KR 893U-OS-4LM-R-EF,  
 KR 893U-STE-4LM-R-EF, KR 893U-STF-4LM-R-EF, KR 893U-DVN-4LM-R-EF,  
 KR 893U-PCL-4LM-R-EF, KR 893U-ADR-4LM-R-EF, KR 893U-RSL-4LM-R-EF,  
 KR 893U-SER-4LM-R-EF, KR 893U-SON-4LM-R-EF, KR 893U-SOP-4LM-R-EF,  
 KR 893U-DOC-4LM-R-EF, KR 893U-STU-4LM-R-EF

|                                                                  |                                     |
|------------------------------------------------------------------|-------------------------------------|
| Type of Tap                                                      | : Pillar tap                        |
| Intended use                                                     | : Kitchen tap                       |
| Nominal size                                                     | : ½" (DN15)                         |
| Mounting method                                                  | : Horizontal Surfaces               |
| Body                                                             | : Single hole with visible body     |
| Diverter                                                         | : Without diverter                  |
| Type of outlet                                                   | : Moveable with flow rate regulator |
| Water saving properties                                          | : Yes                               |
| Water efficiency rating                                          | : 3★                                |
| Body materials                                                   | : Brass                             |
| Operating Mechanism Type/ Model No. : Ceramic cartridge / HB-008 |                                     |



IKRAM QA Services Sdn. Bhd. (199901004665)  
 Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten,  
 43000 Kajang, Selangor Darul Ehsan, Malaysia.  
 Tel: +603 8738 3212 Fax: +603 8736 7254  
 Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



## ANNEX - Page 3

Certificate No : IKRAM 12617FC

Certificate Holder : MA ALLIANCE SDN. BHD.,

*Date of original issue*  
22.11.2017

*Date of renewal*  
29.12.2023

*Date of amendment*  
29.12.2023

*Expiry Date*  
31.12.2024

### Model No.:

ATP 313-VON-4LM-R-EF, ATP 313-VIA-4LM-R-EF, ATP 313-SAT-4LM-R-EF,  
 ATP 313-VTR-4LM-R-EF, ATP 313-TX-4LM-R-EF, ATP 313-ST-4LM-R-EF,  
 ATP 313-VX-4LM-R-EF, ATP 313-AL-4LM-R-EF, ATP 313-OS-4LM-R-EF,  
 ATP 313-STE-4LM-R-EF, ATP 313-STF-4LM-R-EF, ATP 313-DVN-4LM-R-EF,  
 ATP 313-PCL-4LM-R-EF, ATP 313-ADR-4LM-R-EF, ATP 313-RSL-4LM-R-EF,  
 ATP 313-SER-4LM-R-EF, ATP 313-SON-4LM-R-EF, ATP 313-SOP-4LM-R-EF,  
 ATP 313-DOC-4LM-R-EF, ATP 313-STU-4LM-R-EF,

KR 313-VON-4LM-R-EF, KR 313-VIA-4LM-R-EF, KR 313-SAT-4LM-R-EF,  
 KR 313-VTR-4LM-R-EF, KR 313-TX-4LM-R-EF, KR 313-ST-4LM-R-EF,  
 KR 313-VX-4LM-R-EF, KR 313-AL-4LM-R-EF, KR 313-OS-4LM-R-EF,  
 KR 313-STE-4LM-R-EF, KR 313-STF-4LM-R-EF, KR 313-DVN-4LM-R-EF,  
 KR 313-PCL-4LM-R-EF, KR 313-ADR-4LM-R-EF, KR 313-RSL-4LM-R-EF,  
 KR 313-SER-4LM-R-EF, KR 313-SON-4LM-R-EF, KR 313-SOP-4LM-R-EF,  
 KR 313-DOC-4LM-R-EF, KR 313-STU-4LM-R-EF

|                                                                  |                                  |
|------------------------------------------------------------------|----------------------------------|
| Type of Tap                                                      | : Pillar tap                     |
| Intended use                                                     | : Basin tap                      |
| Nominal size                                                     | : ½" (DN15)                      |
| Mounting method                                                  | : Horizontal Surfaces            |
| Body                                                             | : Single hole with visible body  |
| Diverter                                                         | : Without diverter               |
| Type of outlet                                                   | : Fixed with flow rate regulator |
| Water saving properties                                          | : Yes                            |
| Water efficiency rating                                          | : 3★                             |
| Body materials                                                   | : Brass                          |
| Operating Mechanism Type/ Model No. : Ceramic cartridge / HB-008 |                                  |



IKRAM QA Services Sdn. Bhd. (199901004665)  
 Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten,  
 43000 Kajang, Selangor Darul Ehsan, Malaysia.  
 Tel: +603 8738 3212 Fax: +603 8736 7254  
 Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



## ANNEX - Page 4

Certificate No : IKRAM 12617FC

Certificate Holder : MA ALLIANCE SDN. BHD.,

*Date of original issue*  
22.11.2017

*Date of renewal*  
29.12.2023

*Date of amendment*  
29.12.2023

*Expiry Date*  
31.12.2024

### Model No.:

ATP 315-VON-4LM-R-EF, ATP 315-VIA-4LM-R-EF, ATP 315-SAT-4LM-R-EF,  
 ATP 315-VTR-4LM-R-EF, ATP 315-TX-4LM-R-EF, ATP 315-ST-4LM-R-EF,  
 ATP 315-VX-4LM-R-EF, ATP 315-AL-4LM-R-EF, ATP 315-OS-4LM-R-EF,  
 ATP 315-STE-4LM-R-EF, ATP 315-STF-4LM-R-EF, ATP 315-DVN-4LM-R-EF,  
 ATP 315-PCL-4LM-R-EF, ATP 315-ADR-4LM-R-EF, ATP 315-RSL-4LM-R-EF,  
 ATP 315-SER-4LM-R-EF, ATP 315-SON-4LM-R-EF, ATP 315-SOP-4LM-R-EF,  
 ATP 315-DOC-4LM-R-EF, ATP 315-STU-4LM-R-EF,

KR 315-VON-4LM-R-EF, KR 315-VIA-4LM-R-EF, KR 315-SAT-4LM-R-EF,  
 KR 315-VTR-4LM-R-EF, KR 315-TX-4LM-R-EF, KR 315-ST-4LM-R-EF,  
 KR 315-VX-4LM-R-EF, KR 315-AL-4LM-R-EF, KR 315-OS-4LM-R-EF,  
 KR 315-STE-4LM-R-EF, KR 315-STF-4LM-R-EF, KR 315-DVN-4LM-R-EF,  
 KR 315-PCL-4LM-R-EF, KR 315-ADR-4LM-R-EF, KR 315-RSL-4LM-R-EF,  
 KR 315-SER-4LM-R-EF, KR 315-SON-4LM-R-EF, KR 315-SOP-4LM-R-EF,  
 KR 315-DOC-4LM-R-EF, KR 315-STU-4LM-R-EF

|                                                                  |                                  |
|------------------------------------------------------------------|----------------------------------|
| Type of Tap                                                      | : Pillar tap                     |
| Intended use                                                     | : Basin tap                      |
| Nominal size                                                     | : ½" (DN15)                      |
| Mounting method                                                  | : Horizontal Surfaces            |
| Body                                                             | : Single hole with visible body  |
| Diverter                                                         | : Without diverter               |
| Type of outlet                                                   | : Fixed with flow rate regulator |
| Water saving properties                                          | : Yes                            |
| Water efficiency rating                                          | : 3★                             |
| Body materials                                                   | : Brass                          |
| Operating Mechanism Type/ Model No. : Ceramic cartridge / HB-008 |                                  |



IKRAM QA Services Sdn. Bhd. (199901004665)  
 Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten,  
 43000 Kajang, Selangor Darul Ehsan, Malaysia.  
 Tel: +603 8738 3212 Fax: +603 8736 7254  
 Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



## ANNEX - Page 5

Certificate No : IKRAM 12617FC

Certificate Holder : MA ALLIANCE SDN. BHD.,

*Date of original issue*  
22.11.2017

*Date of renewal*  
29.12.2023

*Date of amendment*  
29.12.2023

*Expiry Date*  
31.12.2024

Model No.:

ATP 621-C-RV-4LM-R-EF,  
KR 621-C-RV-4LM-R-EF

|                                                                  |                                  |
|------------------------------------------------------------------|----------------------------------|
| Type of Tap                                                      | : Pillar tap                     |
| Intended use                                                     | : Basin tap                      |
| Nominal size                                                     | : ½" (DN15)                      |
| Mounting method                                                  | : Horizontal Surfaces            |
| Body                                                             | : Single hole with visible body  |
| Diverter                                                         | : Without diverter               |
| Type of outlet                                                   | : Fixed with flow rate regulator |
| Water saving properties                                          | : Yes                            |
| Water efficiency rating                                          | : 2★                             |
| Body materials                                                   | : Brass                          |
| Operating Mechanism Type/ Model No. : Ceramic cartridge / HB-008 |                                  |

Model No.:

KR 195-C-K51-4LM-R-EF, KR 195-C-4LM-R-EF,  
MAR 195-C-51-4LM-R-EF, MAR 195-C-4LM-R-EF

|                                                                  |                                  |
|------------------------------------------------------------------|----------------------------------|
| Type of Tap                                                      | : Pillar tap                     |
| Intended use                                                     | : Basin Tap                      |
| Nominal size                                                     | : ½" (DN15)                      |
| Mounting method                                                  | : Horizontal Surfaces            |
| Body                                                             | : Single hole with visible body  |
| Diverter                                                         | : Without diverter               |
| Type of outlet                                                   | : Fixed with flow rate regulator |
| Water saving properties                                          | : Yes                            |
| Water efficiency rating                                          | : 2★                             |
| Body materials                                                   | : Brass                          |
| Operating Mechanism Type/ Model No. : Ceramic cartridge / HB-008 |                                  |



IKRAM QA Services Sdn. Bhd. (199901004665)  
 Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten,  
 43000 Kajang, Selangor Darul Ehsan, Malaysia.  
 Tel: +603 8738 3212 Fax: +603 8736 7254  
 Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



## ANNEX - Page 6

Certificate No : IKRAM 12617FC

Certificate Holder : MA ALLIANCE SDN. BHD.,

*Date of original issue*  
22.11.2017

*Date of renewal*  
29.12.2023

*Date of amendment*  
29.12.2023

*Expiry Date*  
31.12.2024

Model No.:  
MAR 198-C-4LM-R-EF,  
KR 198-C-4LM-R-EF

|                                                                  |                                  |
|------------------------------------------------------------------|----------------------------------|
| Type of Tap                                                      | : Pillar tap                     |
| Intended use                                                     | : Basin tap                      |
| Nominal size                                                     | : ½" (DN15)                      |
| Mounting method                                                  | : Horizontal Surfaces            |
| Body                                                             | : Single hole with visible body  |
| Diverter                                                         | : Without diverter               |
| Type of outlet                                                   | : Fixed with flow rate regulator |
| Water saving properties                                          | : Yes                            |
| Water efficiency rating                                          | : 3★                             |
| Body materials                                                   | : Brass                          |
| Operating Mechanism Type/ Model No. : Ceramic cartridge / HB-008 |                                  |

Model No.:  
MAR 285-C-4LM-R-EF,  
KR 285-C-4LM-R-EF

|                                                                  |                                  |
|------------------------------------------------------------------|----------------------------------|
| Type of Tap                                                      | : Pillar tap                     |
| Intended use                                                     | : Basin Tap                      |
| Nominal size                                                     | : ½" (DN15)                      |
| Mounting method                                                  | : Horizontal Surfaces            |
| Body                                                             | : Single hole with visible body  |
| Diverter                                                         | : Without diverter               |
| Type of outlet                                                   | : Fixed with flow rate regulator |
| Water saving properties                                          | : Yes                            |
| Water efficiency rating                                          | : 3★                             |
| Body materials                                                   | : Brass                          |
| Operating Mechanism Type/ Model No. : Ceramic cartridge / HB-008 |                                  |



IKRAM QA Services Sdn. Bhd. (199901004665)  
Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten,  
43000 Kajang, Selangor Darul Ehsan, Malaysia.  
Tel: +603 8738 3212 Fax: +603 8736 7254  
Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



## ANNEX - Page 7

Certificate No : IKRAM 12617FC

Certificate Holder : MA ALLIANCE SDN. BHD.,

*Date of original issue*  
22.11.2017

*Date of renewal*  
29.12.2023

*Date of amendment*  
29.12.2023

*Expiry Date*  
31.12.2024

Model No.:  
MAR 288-C-4LM-R-EF,  
KR 288-C-4LM-R-EF

|                                                                  |                                  |
|------------------------------------------------------------------|----------------------------------|
| Type of Tap                                                      | : Pillar tap                     |
| Intended use                                                     | : Basin tap                      |
| Nominal size                                                     | : ½" (DN15)                      |
| Mounting method                                                  | : Horizontal Surfaces            |
| Body                                                             | : Single hole with visible body  |
| Diverter                                                         | : Without diverter               |
| Type of outlet                                                   | : Fixed with flow rate regulator |
| Water saving properties                                          | : Yes                            |
| Water efficiency rating                                          | : 3★                             |
| Body materials                                                   | : Brass                          |
| Operating Mechanism Type/ Model No. : Ceramic cartridge / HB-008 |                                  |

Model No.:  
MAR 299-C-4LM-R-EF,  
KR 299-C-4LM-R-EF

|                                                                  |                                  |
|------------------------------------------------------------------|----------------------------------|
| Type of Tap                                                      | : Pillar tap                     |
| Intended use                                                     | : Basin tap                      |
| Nominal size                                                     | : ½" (DN15)                      |
| Mounting method                                                  | : Horizontal Surfaces            |
| Body                                                             | : Single hole with visible body  |
| Diverter                                                         | : Without diverter               |
| Type of outlet                                                   | : Fixed with flow rate regulator |
| Water saving properties                                          | : Yes                            |
| Water efficiency rating                                          | : 3★                             |
| Body materials                                                   | : Brass                          |
| Operating Mechanism Type/ Model No. : Ceramic cartridge / HB-008 |                                  |





IKRAM QA Services Sdn. Bhd. (199901004665)  
 Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten,  
 43000 Kajang, Selangor Darul Ehsan, Malaysia.  
 Tel: +603 8738 3212 Fax: +603 8736 7254  
 Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my

ACB PC 03



## ANNEX - Page 8

Certificate No : IKRAM 12617FC

Certificate Holder : MA ALLIANCE SDN. BHD.,

| <i>Date of original issue</i> | <i>Date of renewal</i> | <i>Date of amendment</i> | <i>Expiry Date</i> |
|-------------------------------|------------------------|--------------------------|--------------------|
| 22.11.2017                    | 29.12.2023             | 29.12.2023               | 31.12.2024         |

### Model No.:

ATP 22160-VON-46LM-R-WA, ATP 22160-VIA-46LM-R-WA, ATP 22160-SAT-46LM-R-WA,  
 ATP 22160-VTR-46LM-R-WA, ATP 22160-TX-46LM-R-WA, ATP 22160-ST-46LM-R-WA,  
 ATP 22160-VX-46LM-R-WA, ATP 22160-AL-46LM-R-WA, ATP 22160-OS-46LM-R-WA,  
 ATP 22160-STE-46LM-R-WA, ATP 22160-STF-46LM-R-WA, ATP 22160-DVN-46LM-R-WA,  
 ATP 22160-PCL-46LM-R-WA, ATP 22160-ADR-46LM-R-WA, ATP 22160-RSL-46LM-R-WA,  
 ATP 22160-SER-46LM-R-WA, ATP 22160-SON-46LM-R-WA, ATP 22160-SOP-46LM-R-WA,  
 ATP 22160-DOC-46LM-R-WA, ATP 22160-STU-46LM-R-WA,

KR 22160-VON-46LM-R-WA, KR 22160-VIA-46LM-R-WA, KR 22160-SAT-46LM-R-WA,  
 KR 22160-VTR-46LM-R-WA, KR 22160-TX-46LM-R-WA, KR 22160-ST-46LM-R-WA,  
 KR 22160-VX-46LM-R-WA, KR 22160-AL-46LM-R-WA, KR 22160-OS-46LM-R-WA,  
 KR 22160-STE-46LM-R-WA, KR 22160-STF-46LM-R-WA, KR 22160-DVN-46LM-R-WA,  
 KR 22160-PCL-46LM-R-WA, KR 22160-ADR-46LM-R-WA, KR 22160-RSL-46LM-R-WA,  
 KR 22160-SER-46LM-R-WA, KR 22160-SON-46LM-R-WA, KR 22160-SOP-46LM-R-WA,  
 KR 22160-DOC-46LM-R-WA, KR 22160-STU-46LM-R-WA

|                                                                  |                                  |
|------------------------------------------------------------------|----------------------------------|
| Type of Tap                                                      | : Pillar tap                     |
| Intended use                                                     | : Basin tap                      |
| Nominal size                                                     | : ½" (DN15)                      |
| Mounting method                                                  | : Horizontal Surfaces            |
| Body                                                             | : Single hole with visible body  |
| Diverter                                                         | : Without diverter               |
| Type of outlet                                                   | : Fixed with flow rate regulator |
| Water saving properties                                          | : Yes                            |
| Water efficiency rating                                          | : 3★                             |
| Body materials                                                   | : Brass                          |
| Operating Mechanism Type/ Model No. : Ceramic cartridge / HB-008 |                                  |



IKRAM QA Services Sdn. Bhd. (199901004665)  
 Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten,  
 43000 Kajang, Selangor Darul Ehsan, Malaysia.  
 Tel: +603 8738 3212 Fax: +603 8736 7254  
 Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



## ANNEX - Page 9

Certificate No : IKRAM 12617FC

Certificate Holder : MA ALLIANCE SDN. BHD.,

| <i>Date of original issue</i> | <i>Date of renewal</i> | <i>Date of amendment</i> | <i>Expiry Date</i> |
|-------------------------------|------------------------|--------------------------|--------------------|
| 22.11.2017                    | 29.12.2023             | 29.12.2023               | 31.12.2024         |

### Model No.:

ATP 23-VON-46LM-R-WA, ATP 23-VIA-46LM-R-WA, ATP 23-SAT-46LM-R-WA,  
 ATP 23-VTR-46LM-R-WA, ATP 23-TX-46LM-R-WA, ATP 23-ST-46LM-R-WA,  
 ATP 23-VX-46LM-R-WA, ATP 23-AL-46LM-R-WA, ATP 23-OS-46LM-R-WA,  
 ATP 23-STE-46LM-R-WA, ATP 23-STF-46LM-R-WA, ATP 23-DVN-46LM-R-WA,  
 ATP 23-PCL-46LM-R-WA, ATP 23-ADR-46LM-R-WA, ATP 23-RSL-46LM-R-WA,  
 ATP 23-SER-46LM-R-WA, ATP 23-SON-46LM-R-WA, ATP 23-SOP-46LM-R-WA,  
 ATP 23-DOC-46LM-R-WA, ATP 23-STU-46LM-R-WA,

KR 23-VON-46LM-R-WA, KR 23-VIA-46LM-R-WA, KR 23-SAT-46LM-R-WA,  
 KR 23-VTR-46LM-R-WA, KR 23-TX-46LM-R-WA, KR 23-ST-46LM-R-WA,  
 KR 23-VX-46LM-R-WA, KR 23-AL-46LM-R-WA, KR 23-OS-46LM-R-WA,  
 KR 23-STE-46LM-R-WA, KR 23-STF-46LM-R-WA, KR 23-DVN-46LM-R-WA,  
 KR 23-PCL-46LM-R-WA, KR 23-ADR-46LM-R-WA, KR 23-RSL-46LM-R-WA,  
 KR 23-SER-46LM-R-WA, KR 23-SON-46LM-R-WA, KR 23-SOP-46LM-R-WA,  
 KR 23-DOC-46LM-R-WA, KR 23-STU-46LM-R-WA

|                                                                  |                                  |
|------------------------------------------------------------------|----------------------------------|
| Type of Tap                                                      | : Bib tap                        |
| Intended use                                                     | : Bidet tap                      |
| Nominal size                                                     | : ½" (DN15)                      |
| Mounting method                                                  | : Vertical Surfaces              |
| Body                                                             | : Single hole with visible body  |
| Diverter                                                         | : Without diverter               |
| Type of outlet                                                   | : Fixed with flow rate regulator |
| Water saving properties                                          | : Yes                            |
| Water efficiency rating                                          | : 2★                             |
| Body materials                                                   | : Brass                          |
| Operating Mechanism Type/ Model No. : Ceramic cartridge / HB-008 |                                  |



IKRAM QA Services Sdn. Bhd. (199901004665)  
 Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten,  
 43000 Kajang, Selangor Darul Ehsan, Malaysia.  
 Tel: +603 8738 3212 Fax: +603 8736 7254  
 Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



## ANNEX - Page 10

Certificate No : IKRAM 12617FC

Certificate Holder : MA ALLIANCE SDN. BHD.,

*Date of original issue*  
22.11.2017

*Date of renewal*  
29.12.2023

*Date of amendment*  
29.12.2023

*Expiry Date*  
31.12.2024

### Model No.:

ATP 230-VON-5LM-Y-GC, ATP 230-VIA-5LM-Y-GC, ATP 230-SAT-5LM-Y-GC,  
 ATP 230-VTR-5LM-Y-GC, ATP 230-TX-5LM-Y-GC, ATP 230-ST-5LM-Y-GC,  
 ATP 230-VX-5LM-Y-GC, ATP 230-AL-5LM-Y-GC, ATP 230-OS-5LM-Y-GC,  
 ATP 230-STE-5LM-Y-GC, ATP 230-STF-5LM-Y-GC, ATP 230-DVN-5LM-Y-GC,  
 ATP 230-PCL-5LM-Y-GC, ATP 230-ADR-5LM-Y-GC, ATP 230-RSL-5LM-Y-GC,  
 ATP 230-SER-5LM-Y-GC, ATP 230-SON-5LM-Y-GC, ATP 230-SOP-5LM-Y-GC,  
 ATP 230-DOC-5LM-Y-GC, ATP 230-STU-5LM-Y-GC,

KR 230-VON-5LM-Y-GC, KR 230-VIA-5LM-Y-GC, KR 230-SAT-5LM-Y-GC,  
 KR 230-VTR-5LM-Y-GC, KR 230-TX-5LM-Y-GC, KR 230-ST-5LM-Y-GC,  
 KR 230-VX-5LM-Y-GC, KR 230-AL-5LM-Y-GC, KR 230-OS-5LM-Y-GC,  
 KR 230-STE-5LM-Y-GC, KR 230-STF-5LM-Y-GC, KR 230-DVN-5LM-Y-GC,  
 KR 230-PCL-5LM-Y-GC, KR 230-ADR-5LM-Y-GC, KR 230-RSL-5LM-Y-GC,  
 KR 230-SER-5LM-Y-GC, KR 230-SON-5LM-Y-GC, KR 230-SOP-5LM-Y-GC,  
 KR 230-DOC-5LM-Y-GC, KR 230-STU-5LM-Y-GC

|                                                                  |                                  |
|------------------------------------------------------------------|----------------------------------|
| Type of Tap                                                      | : Bib tap                        |
| Intended use                                                     | : Garden tap                     |
| Nominal size                                                     | : ½" (DN15)                      |
| Mounting method                                                  | : Vertical Surfaces              |
| Body                                                             | : Single hole with visible body  |
| Diverter                                                         | : Without diverter               |
| Type of outlet                                                   | : Fixed with flow rate regulator |
| Water saving properties                                          | : Yes                            |
| Water efficiency rating                                          | : 3★                             |
| Body materials                                                   | : Brass                          |
| Operating Mechanism Type/ Model No. : Ceramic cartridge / HB-008 |                                  |



IKRAM QA Services Sdn. Bhd. (199901004665)  
 Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten,  
 43000 Kajang, Selangor Darul Ehsan, Malaysia.  
 Tel: +603 8738 3212 Fax: +603 8736 7254  
 Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my

ACB PC 03



## ANNEX - Page 11

Certificate No : IKRAM 12617FC

Certificate Holder : MA ALLIANCE SDN. BHD.,

*Date of original issue*  
22.11.2017

*Date of renewal*  
29.12.2023

*Date of amendment*  
29.12.2023

*Expiry Date*  
31.12.2024

### Model No.:

ATP 33-VON-46LM-R-WA, KR 33-VON-46LM-R-WA, ATP 33-VIA-46LM-R-WA,  
 KR 33-VIA-46LM-R-WA, ATP 33-SAT-46LM-R-WA, KR 33-SAT-46LM-R-WA,  
 ATP 33-VTR-46LM-R-WA, KR 33-VTR-46LM-R-WA, ATP 33-TX-46LM-R-WA,  
 KR 33-TX-46LM-R-WA, ATP 33-ST-46LM-R-WA, KR 33-ST-46LM-R-WA,  
 ATP 33-VX-46LM-R-WA, KR 33-VX-46LM-R-WA, ATP 33-AL-46LM-R-WA,  
 KR 33-AL-46LM-R-WA, ATP 33-OS-46LM-R-WA, KR 33-OS-46LM-R-WA,  
 ATP 33-STE-46LM-R-WA, KR 33-STE-46LM-R-WA, ATP 33-STF-46LM-R-WA,  
 KR 33-STF-46LM-R-WA, ATP 33-DVN-46LM-R-WA, KR 33-DVN-46LM-R-WA,  
 ATP 33-PCL-46LM-R-WA, KR 33-PCL-46LM-R-WA, ATP 33-ADR-46LM-R-WA,  
 KR 33-ADR-46LM-R-WA, ATP 33-RSL-46LM-R-WA, KR 33-RSL-46LM-R-WA,  
 ATP 33-SER-46LM-R-WA, KR 33-SER-46LM-R-WA, ATP 33-SON-46LM-R-WA,  
 KR 33-SON-46LM-R-WA, ATP 33-SOP-46LM-R-WA, KR 33-SOP-46LM-R-WA,  
 ATP 33-RV-46LM-R-WA, KR 33-RV-46LM-R-WA, ATP 33-UV-46LM-R-WA,  
 KR 33-UV-46LM-R-WA, ATP 33-STU-46LM-R-WA, KR 33-STU-46LM-R-WA

|                                                                  |                                   |
|------------------------------------------------------------------|-----------------------------------|
| Type of Tap                                                      | : Pillar tap                      |
| Intended use                                                     | : Shower tap                      |
| Nominal size                                                     | : ½" (DN15)                       |
| Mounting method                                                  | : Horizontal Surfaces             |
| Body                                                             | : Single hole with concealed body |
| Diverter                                                         | : Without diverter                |
| Type of outlet                                                   | : Fixed with flow rate regulator  |
| Water saving properties                                          | : Yes                             |
| Water efficiency rating                                          | : 3★                              |
| Body materials                                                   | : Brass                           |
| Operating Mechanism Type/ Model No. : Ceramic cartridge / HB-008 |                                   |



IKRAM QA Services Sdn. Bhd. (199901004665)  
 Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten,  
 43000 Kajang, Selangor Darul Ehsan, Malaysia.  
 Tel: +603 8738 3212 Fax: +603 8736 7254  
 Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



## ANNEX - Page 12

Certificate No : IKRAM 12617FC

Certificate Holder : MA ALLIANCE SDN. BHD.,

*Date of original issue*  
22.11.2017

*Date of renewal*  
29.12.2023

*Date of amendment*  
29.12.2023

*Expiry Date*  
31.12.2024

### Model No.:

ATP 33-VON-FLG 56115-46LM-R-WA, KR 33-VON-FLG 56115-46LM-R-WA,  
 ATP 33-VIA-FLG 56115-46LM-R-WA, KR 33-VIA-FLG 56115-46LM-R-WA,  
 ATP 33-SAT-FLG 56115-46LM-R-WA, KR 33-SAT-FLG 56115-46LM-R-WA,  
 ATP 33-VTR-FLG 56115-46LM-R-WA, KR 33-VTR-FLG 56115-46LM-R-WA,  
 ATP 33-TX-FLG 56115-46LM-R-WA, KR 33-TX-FLG 56115-46LM-R-WA,  
 ATP 33-ST-FLG 56115-46LM-R-WA, KR 33-ST-FLG 56115-46LM-R-WA,  
 ATP 33-VX-FLG 56115-46LM-R-WA, KR 33-VX-FLG 56115-46LM-R-WA,  
 ATP 33-AL-FLG 56115-46LM-R-WA, KR 33-AL-FLG 56115-46LM-R-WA,  
 ATP 33-OS-FLG 56115-46LM-R-WA, KR 33-OS-FLG 56115-46LM-R-WA,  
 ATP 33-STE-FLG 56115-46LM-R-WA, KR 33-STE-FLG 56115-46LM-R-WA,  
 ATP 33-STF-FLG 56115-46LM-R-WA, KR 33-STF-FLG 56115-46LM-R-WA,  
 ATP 33-DVN-FLG 56115-46LM-R-WA, KR 33-DVN-FLG 56115-46LM-R-WA,  
 ATP 33-PCL-FLG 56115-46LM-R-WA, KR 33-PCL-FLG 56115-46LM-R-WA,  
 ATP 33-ADR-FLG 56115-46LM-R-WA, KR 33-ADR-FLG 56115-46LM-R-WA,  
 ATP 33-RSL-FLG 56115-46LM-R-WA, KR 33-RSL-FLG 56115-46LM-R-WA,  
 ATP 33-SER-FLG 56115-46LM-R-WA, KR 33-SER-FLG 56115-46LM-R-WA,  
 ATP 33-SON-FLG 56115-46LM-R-WA, KR 33-SON-FLG 56115-46LM-R-WA,  
 ATP 33-SOP-FLG 56115-46LM-R-WA, KR 33-SOP-FLG 56115-46LM-R-WA,  
 ATP 33-RV-FLG 56115-46LM-R-WA, KR 33-RV-FLG 56115-46LM-R-WA,  
 ATP 33-UV-FLG 56115-46LM-R-WA, KR 33-UV-FLG 56115-46LM-R-WA,  
 ATP 33-STU-FLG 56115-46LM-R-WA, KR 33-STU-FLG 56115-46LM-R-WA

|                                                                  |                                   |
|------------------------------------------------------------------|-----------------------------------|
| Type of Tap                                                      | : Pillar tap                      |
| Intended use                                                     | : Shower tap                      |
| Nominal size                                                     | : ½" (DN15)                       |
| Mounting method                                                  | : Horizontal Surfaces             |
| Body                                                             | : Single hole with concealed body |
| Diverter                                                         | : Without diverter                |
| Type of outlet                                                   | : Fixed with flow rate regulator  |
| Water saving properties                                          | : Yes                             |
| Water efficiency rating                                          | : 3★                              |
| Body materials                                                   | : Brass                           |
| Operating Mechanism Type/ Model No. : Ceramic cartridge / HB-008 |                                   |



IKRAM QA Services Sdn. Bhd. (199901004665)  
Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten,  
43000 Kajang, Selangor Darul Ehsan, Malaysia.  
Tel: +603 8738 3212 Fax: +603 8736 7254  
Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



## ANNEX - Page 13

Certificate No : IKRAM 12617FC

Certificate Holder : MA ALLIANCE SDN. BHD.,

*Date of original issue*  
22.11.2017

*Date of renewal*  
29.12.2023

*Date of amendment*  
29.12.2023

*Expiry Date*  
31.12.2024

Model No.:

RF-18-U-STF-(4LM-R-EF),  
ARF-18-U-STF-(4LM-R-EF),  
KRF-18-U-STF-(4LM-R-EF)

|                                     |                                     |
|-------------------------------------|-------------------------------------|
| Type of Tap                         | : Bib tap                           |
| Intended use                        | : Kitchen tap                       |
| Nominal size                        | : ½" (DN15)                         |
| Mounting method                     | : Vertical Surfaces                 |
| Body                                | : Single hole with visible body     |
| Diverter                            | : Without diverter                  |
| Type of outlet                      | : Moveable with flow rate regulator |
| Water saving properties             | : Yes                               |
| Water efficiency rating             | : 2★                                |
| Body materials                      | : Stainless Steel                   |
| Operating Mechanism Type/ Model No. | : Ceramic cartridge / HB-008        |

Model No.

RF-19-U-STF-(4LM-R-EF),  
ARF-19-U-STF-(4LM-R-EF),  
KRF-19-U-STF-(4LM-R-EF)

|                                     |                                     |
|-------------------------------------|-------------------------------------|
| Type of Tap                         | : Pillar tap                        |
| Intended use                        | : Kitchen tap                       |
| Nominal size                        | : ½" (DN15)                         |
| Mounting method                     | : Horizontal Surfaces               |
| Body                                | : Single hole with visible body     |
| Diverter                            | : Without diverter                  |
| Type of outlet                      | : Moveable with flow rate regulator |
| Water saving properties             | : Yes                               |
| Water efficiency rating             | : 2★                                |
| Body materials                      | : Stainless Steel                   |
| Operating Mechanism Type/ Model No. | : Ceramic cartridge / HB-008        |



IKRAM QA Services Sdn. Bhd. (199901004665)  
 Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten,  
 43000 Kajang, Selangor Darul Ehsan, Malaysia.  
 Tel: +603 8738 3212 Fax: +603 8736 7254  
 Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



## ANNEX - Page 14

Certificate No : IKRAM 12617FC

Certificate Holder : MA ALLIANCE SDN. BHD.,

*Date of original issue*  
22.11.2017

*Date of renewal*  
29.12.2023

*Date of amendment*  
29.12.2023

*Expiry Date*  
31.12.2024

Model No.:  
 MAR 310-LX-CP-(4LM-R-EF),  
 KR 310-LX-CP-(4LM-R-EF),  
 RF 310-LX-CP-(4LM-R-EF)

|                                                                  |                                     |
|------------------------------------------------------------------|-------------------------------------|
| Type of Tap                                                      | : Pillar tap                        |
| Intended use                                                     | : Kitchen tap                       |
| Nominal size                                                     | : ½" (DN15)                         |
| Mounting method                                                  | : Horizontal Surfaces               |
| Body                                                             | : Single hole with visible body     |
| Diverter                                                         | : Without diverter                  |
| Type of outlet                                                   | : Moveable with flow rate regulator |
| Water saving properties                                          | : Yes                               |
| Water efficiency rating                                          | : 2★                                |
| Body materials                                                   | : Stainless Steel                   |
| Operating Mechanism Type/ Model No. : Ceramic cartridge / HB-008 |                                     |

Model No.:  
 RF 22371-STF-(4LM-R-EF),  
 ARF 22371-STF-(4LM-R-EF),  
 KRF 22371-STF-(4LM-R-EF)

|                                                                  |                                  |
|------------------------------------------------------------------|----------------------------------|
| Type of Tap                                                      | : Pillar tap                     |
| Intended use                                                     | : Basin tap                      |
| Nominal size                                                     | : ½" (DN15)                      |
| Mounting method                                                  | : Horizontal Surfaces            |
| Body                                                             | : Single hole with visible body  |
| Diverter                                                         | : Without diverter               |
| Type of outlet                                                   | : Fixed with flow rate regulator |
| Water saving properties                                          | : Yes                            |
| Water efficiency rating                                          | : 3★                             |
| Body materials                                                   | : Stainless Steel                |
| Operating Mechanism Type/ Model No. : Ceramic cartridge / HB-008 |                                  |



IKRAM QA Services Sdn. Bhd. (199901004665)  
Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten,  
43000 Kajang, Selangor Darul Ehsan, Malaysia.  
Tel: +603 8738 3212 Fax: +603 8736 7254  
Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



## ANNEX - Page 15

Certificate No : IKRAM 12617FC

Certificate Holder : MA ALLIANCE SDN. BHD.,

*Date of original issue*  
22.11.2017

*Date of renewal*  
29.12.2023

*Date of amendment*  
29.12.2023

*Expiry Date*  
31.12.2024

Model No.:

RF 22305-A1-(4LM-R-EF),  
ARF 22305-A1-(4LM-R-EF),  
KRF 22305-A1-(4LM-R-EF)

|                                     |                                  |
|-------------------------------------|----------------------------------|
| Type of Tap                         | : Pillar tap                     |
| Intended use                        | : Basin tap                      |
| Nominal size                        | : ½" (DN15)                      |
| Mounting method                     | : Horizontal Surfaces            |
| Body                                | : Single hole with visible body  |
| Diverter                            | : Without diverter               |
| Type of outlet                      | : Fixed with flow rate regulator |
| Water saving properties             | : Yes                            |
| Water efficiency rating             | : 3★                             |
| Body materials                      | : Stainless Steel                |
| Operating Mechanism Type/ Model No. | : Ceramic cartridge / HB-008     |

Model No.:

RF 22171-STF-(4LM-R-EF),  
ARF 22171-STF-(4LM-R-EF),  
KRF 22171-STF-(4LM-R-EF)

|                                     |                                  |
|-------------------------------------|----------------------------------|
| Type of Tap                         | : Pillar tap                     |
| Intended use                        | : Basin tap                      |
| Nominal size                        | : ½" (DN15)                      |
| Mounting method                     | : Horizontal Surfaces            |
| Body                                | : Single hole with visible body  |
| Diverter                            | : Without diverter               |
| Type of outlet                      | : Fixed with flow rate regulator |
| Water saving properties             | : Yes                            |
| Water efficiency rating             | : 3★                             |
| Body materials                      | : Stainless Steel                |
| Operating Mechanism Type/ Model No. | : Ceramic cartridge / HB-008     |





IKRAM QA Services Sdn. Bhd. (199901004665)  
Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten,  
43000 Kajang, Selangor Darul Ehsan, Malaysia.  
Tel: +603 8738 3212 Fax: +603 8736 7254  
Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



## ANNEX - Page 16

Certificate No : IKRAM 12617FC

Certificate Holder : MA ALLIANCE SDN. BHD.,

*Date of original issue*  
22.11.2017

*Date of renewal*  
29.12.2023

*Date of amendment*  
29.12.2023

*Expiry Date*  
31.12.2024

Model No.:

RF 22180-A1-(4LM-R-EF),  
ARF 22180-A1-(4LM-R-EF),  
KRF 22180-A1-(4LM-R-EF)

|                                     |                                  |
|-------------------------------------|----------------------------------|
| Type of Tap                         | : Pillar tap                     |
| Intended use                        | : Basin tap                      |
| Nominal size                        | : ½" (DN15)                      |
| Mounting method                     | : Horizontal Surfaces            |
| Body                                | : Single hole with visible body  |
| Diverter                            | : Without diverter               |
| Type of outlet                      | : Fixed with flow rate regulator |
| Water saving properties             | : Yes                            |
| Water efficiency rating             | : 3★                             |
| Body materials                      | : Stainless Steel                |
| Operating Mechanism Type/ Model No. | : Ceramic cartridge / HB-008     |

Model No.:

RF 11-STF-(4L22-R-EF),  
ARF 11-STF-(4L22-R-EF),  
KRF 11-STF-(4L22-R-EF)

|                                     |                                  |
|-------------------------------------|----------------------------------|
| Type of Tap                         | : Bib tap                        |
| Intended use                        | : Basin tap                      |
| Nominal size                        | : ½" (DN15)                      |
| Mounting method                     | : Vertical Surfaces              |
| Body                                | : Single hole with visible body  |
| Diverter                            | : Without diverter               |
| Type of outlet                      | : Fixed with flow rate regulator |
| Water saving properties             | : Yes                            |
| Water efficiency rating             | : 3★                             |
| Body materials                      | : Stainless Steel                |
| Operating Mechanism Type/ Model No. | : Ceramic cartridge / HB-008     |



IKRAM QA Services Sdn. Bhd. (199901004665)  
Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten,  
43000 Kajang, Selangor Darul Ehsan, Malaysia.  
Tel: +603 8738 3212 Fax: +603 8736 7254  
Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



## ANNEX - Page 17

Certificate No : IKRAM 12617FC

Certificate Holder : MA ALLIANCE SDN. BHD.,

*Date of original issue*  
22.11.2017

*Date of renewal*  
29.12.2023

*Date of amendment*  
29.12.2023

*Expiry Date*  
31.12.2024

Model No.:

RF 98-STF-(4LM-R-EF),  
ARF 98-STF-(4LM-R-EF),  
KRF 98-STF-(4LM-R-EF)

Type of Tap : Pillar tap  
Intended use : Basin tap  
Nominal size : ½" (DN15)  
Mounting method : Horizontal Surfaces  
Body : Single hole with visible body  
Diverter : Without diverter  
Type of outlet : Fixed with flow rate regulator  
Water saving properties : Yes  
Water efficiency rating : 3★  
Body materials : Stainless Steel  
Operating Mechanism Type/ Model No. : Ceramic cartridge / HB-008

Model No.:

RF 13-STF-(46LM-R-WA),  
ARF 13-STF-(46LM-R-WA),  
KRF 13-STF-(46LM-R-WA)

Type of Tap : Bib tap  
Intended use : Hose/Garden tap  
Nominal size : ½" (DN15)  
Mounting method : Vertical Surfaces  
Body : Single hole with visible body  
Diverter : Without diverter  
Type of outlet : Fixed with flow rate regulator  
Water saving properties : Yes  
Water efficiency rating : 3★  
Body materials : Stainless Steel  
Operating Mechanism Type/ Model No. : Ceramic cartridge / HB-008



IKRAM QA Services Sdn. Bhd. (199901004665)  
 Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten,  
 43000 Kajang, Selangor Darul Ehsan, Malaysia.  
 Tel: +603 8738 3212 Fax: +603 8736 7254  
 Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



## ANNEX - Page 18

Certificate No : IKRAM 12617FC

Certificate Holder : MA ALLIANCE SDN. BHD.,

*Date of original issue*  
22.11.2017

*Date of renewal*  
29.12.2023

*Date of amendment*  
29.12.2023

*Expiry Date*  
31.12.2024

Model No.:

RF-2WT-STF-(4L22R+46LM),  
 ARF-2WT-STF-(4L22R+46LM),  
 KRF-2WT-STF-(4L22R+46LM)

Type of Tap : Bib tap  
 Intended use : Two Way Tap (Multipurpose)  
 Nominal size : ½" (DN15)  
 Mounting method : Vertical Surfaces  
 Body : Multi hole with visible body  
 Diverter : Without diverter  
 Type of outlet : Divided with flow rate regulator  
 Water saving properties : Yes  
 Water efficiency rating : 3★  
 Body materials : Stainless Steel  
 Operating Mechanism Type/ Model No. : Ceramic cartridge / HB-008

Model No.:

RF-2WT-STF-WB32-(4L22R+46LM),  
 ARF-2WT-STF-WB32-(4L22R+46LM),  
 KRF-2WT-STF-WB32-(4L22R+46LM)

Type of Tap : Bib tap  
 Intended use : Two Way Tap (Multipurpose)  
 Nominal size : ½" (DN15)  
 Mounting method : Vertical Surfaces  
 Body : Multi hole with visible body  
 Diverter : Without diverter  
 Type of outlet : Divided with flow rate regulator  
 Water saving properties : Yes  
 Water efficiency rating : 3★  
 Body materials : Stainless Steel  
 Operating Mechanism Type/ Model No. : Ceramic cartridge / HB-008



IKRAM QA Services Sdn. Bhd. (199901004665)  
 Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten,  
 43000 Kajang, Selangor Darul Ehsan, Malaysia.  
 Tel: +603 8738 3212 Fax: +603 8736 7254  
 Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



## ANNEX - Page 19

Certificate No : IKRAM 12617FC

Certificate Holder : MA ALLIANCE SDN. BHD.,

| <i>Date of original issue</i> | <i>Date of renewal</i> | <i>Date of amendment</i> | <i>Expiry Date</i> |
|-------------------------------|------------------------|--------------------------|--------------------|
| 22.11.2017                    | 29.12.2023             | 29.12.2023               | 31.12.2024         |

### Model No.:

ATP 211-VON-(4L22R+46LM), ATP 211-VIA-(4L22R+46LM), ATP 211-SAT-(4L22R+46LM),  
 ATP 211-VTR-(4L22R+46LM), ATP 211-TX-(4L22R+46LM), ATP 211-ST-(4L22R+46LM),  
 ATP 211-VX-(4L22R+46LM), ATP 211-AL-(4L22R+46LM), ATP 211-OS-(4L22R+46LM),  
 ATP 211-STE-(4L22R+46LM), ATP 211-STF-(4L22R+46LM), ATP 211-DVN-(4L22R+46LM),  
 ATP 211-PCL-(4L22R+46LM), ATP 211-ADR-(4L22R+46LM), ATP 211-RSL-(4L22R+46LM),  
 ATP 211-SER-(4L22R+46LM), ATP 211-SON-(4L22R+46LM), ATP 211-SOP-(4L22R+46LM),  
 ATP 211-DOC-(4L22R+46LM), ATP 211-STU-(4L22R+46LM),

KR 211-VON-(4L22R+46LM), KR 211-VIA-(4L22R+46LM), KR 211-SAT-(4L22R+46LM),  
 KR 211-VTR-(4L22R+46LM), KR 211-TX-(4L22R+46LM), KR 211-ST-(4L22R+46LM),  
 KR 211-VX-(4L22R+46LM), KR 211-AL-(4L22R+46LM), KR 211-OS-(4L22R+46LM),  
 KR 211-STE-(4L22R+46LM), KR 211-STF-(4L22R+46LM), KR 211-DVN-(4L22R+46LM),  
 KR 211-PCL-(4L22R+46LM), KR 211-ADR-(4L22R+46LM), KR 211-RSL-(4L22R+46LM),  
 KR 211-SER-(4L22R+46LM), KR 211-SON-(4L22R+46LM), KR 211-SOP-(4L22R+46LM),  
 KR 211-DOC-(4L22R+46LM), KR 211-STU-(4L22R+46LM)

|                                                                  |                                    |
|------------------------------------------------------------------|------------------------------------|
| Type of Tap                                                      | : Bib tap                          |
| Intended use                                                     | : Two Way Tap (Multipurpose)       |
| Nominal size                                                     | : ½" (DN15)                        |
| Mounting method                                                  | : Vertical Surfaces                |
| Body                                                             | : Multi hole with visible body     |
| Diverter                                                         | : Without diverter                 |
| Type of outlet                                                   | : Divided with flow rate regulator |
| Water saving properties                                          | : Yes                              |
| Water efficiency rating                                          | : 3★                               |
| Body materials                                                   | : Brass                            |
| Operating Mechanism Type/ Model No. : Ceramic cartridge / HB-008 |                                    |



IKRAM QA Services Sdn. Bhd. (199901004665)  
 Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten,  
 43000 Kajang, Selangor Darul Ehsan, Malaysia.  
 Tel: +603 8738 3212 Fax: +603 8736 7254  
 Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



## ANNEX - Page 20

Certificate No : IKRAM 12617FC

Certificate Holder : MA ALLIANCE SDN. BHD.,

*Date of original issue*  
22.11.2017

*Date of renewal*  
29.12.2023

*Date of amendment*  
29.12.2023

*Expiry Date*  
31.12.2024

Model No.:  
 RF 12-STF (46LM-R-WA), RF 12-TX (46LM-R-WA),  
 RF 12-KC-PL (46LM-R-WA), RF 12-KC-GM (46LM-R-WA),  
 MA 1-XS (46LM-R-WA), MA 2-XS (46LM-R-WA), MA 3-XS (46LM-R-WA)

Type of Tap : Bib tap  
 Intended use : Bidet tap  
 Nominal size : ½" (DN15)  
 Mounting method : Vertical Surfaces  
 Body : Single hole with visible body  
 Diverter : Without diverter  
 Type of outlet : Fixed with flow rate regulator  
 Water saving properties : Yes  
 Water efficiency rating : 3★  
 Body materials : Stainless Steel  
 Operating Mechanism Type/ Model No. : Ceramic cartridge / HB-008

Model No.:  
 JL 6010-BS (46LM-R-WA), JL 6000-BS (46LM-R-WA),  
 JL 6020-BS (46LM-R-WA), JL 60KC-BS (46LM-R-WA)

Type of Tap : Bib tap  
 Intended use : Bidet tap  
 Nominal size : ½" (DN15)  
 Mounting method : Vertical Surfaces  
 Body : Single hole with visible body  
 Diverter : Without diverter  
 Type of outlet : Fixed with flow rate regulator  
 Water saving properties : Yes  
 Water efficiency rating : 3★  
 Body materials : Stainless Steel  
 Operating Mechanism Type/ Model No. : Ceramic cartridge / HB-008



IKRAM QA Services Sdn. Bhd. (199901004665)  
Address: Block 5, Level 1, Unipark Suria, Jalan Ikram – Uniten,  
43000 Kajang, Selangor Darul Ehsan, Malaysia.  
Tel: +603 8738 3212 Fax: +603 8736 7254  
Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



## ANNEX - Page 21

Certificate No : IKRAM 12617FC

Certificate Holder : MA ALLIANCE SDN. BHD.,

| <i>Date of original issue</i> | <i>Date of renewal</i> | <i>Date of amendment</i> | <i>Expiry Date</i> |
|-------------------------------|------------------------|--------------------------|--------------------|
| 22.11.2017                    | 29.12.2023             | 29.12.2023               | 31.12.2024         |

### Certificate Descriptions :

1. IKRAM QA Services Sdn. Bhd. is accredited by Department of Standards Malaysia (Standards Malaysia) according to ISO/IEC 17065 : 2012 for certification of products with certificate number ACB PC 03.
2. This certificate has been approved and issued in compliance with **IKRAM QA Scheme 1**.
3. IKRAM QA Scheme 1 is product certification scheme owned by IKRAM QA which using certification scheme Type 5.
4. It is hereby certified that the product as detailed in this certificate has satisfactorily complied with the requirement of the appropriate Product Standard(s).
5. Certification mark for IKRAM QA Scheme 1 is **K-Mark**.

### Certificate Information :

Product Code : E0703  
Brand artone owned by Modern Avenue Sdn. Bhd.  
Old Certificate Number : IKRAM-I304E1-E0703-NF12617

1. P1 – The factory moved to a new location from original location at No. 9 - 10, Yongle Village, Shuikou Town, Kaiping City, Guangdong Province, People's Republic of China through PCC 19/17 (209) - 21.11.2017. (Old certificate number : IKRAM-I245E1-E0703-NF3416, date of original issue on 29.07.2016).
2. P2 – KPS 48/19 (23.05.2019) – Additional models.
3. P3 – KPS 118/20 (24.11.2020) – Update certificate holder address.
4. P4 – KPS 35/23 (24.03.2023) – Update product standard from BS EN 200 : 2008, change of models name and additional models.
5. P5 – KPS 49/23 (01.08.2023) – Additional models and correction of expiry date from 31.12.2024 to 31.12.2023.
6. P6 – KPS 96/23 (29.08.2023) – The certificate holder resumes certification through Edaran 43/2023 (667) -29.08.2023 after voluntary suspension by the certificate holder with letter dated 01.03.2023 as well as KPS 96/23 (29.08.2023) - Additional models, correction on product descriptions and deletion of surface coating.
7. P7 – KPS 158/23 (29.12.2023) – Certificate holder relocate from original location Lot 116, Jalan Prof. Khoo Kay Kim, 46300 Petaling Jaya, Selangor Darul Ehsan on 29.12.2023.